



**SMART SECURITY SOLUTIONS**

**CATALOG**

**Our  
Solutions  
Cater To**

**“BE SMART  
BE SECURE”**

**HOME  
OFFICE  
VEHICLE  
CORPORATE**

# About Us

**“What happens now  
should be known now..”**

developed with the goal to make security available to everyone. We offer services from FREE do-it-yourself solutions to paid FULL SERVICE including LIVE alarm center and private security guards. The foundation of all systems is the combination of trigger and video. Once a sensor is triggered you receive 13 seconds of video + 2 seconds before sensor was triggered. So you know what is going on and can react immediately.

## TH661-G

### 720P Wireless PTZ Alarm Camera Package

- 1MP FULL 1080P HD IP Camera, H.264 compression; NVR ONVIF Compatible
- F:3.6mm fixed lens; Pan: 360°,Tilt:90°
- Clear two-way audio and 10pcs IR LED night vision up to 8 meters distance;
- RF 867Mhz connection, connect & control max 30 wireless sensors;
- Reliable 2.4G WIFI connection and RJ45 interface;
- Support SD card slot, max 128GB storage (not included);
- Power DC 5V 1A, 3 meters power cord
- Mounting kit for HD indoor camera



## AC4120

### 1080P Wifi Alarm Dome Camera

- 2MP FULL 1080P HD IP Camera, H.264 compression; NVR ONVIF Compatible;
- F:2.8mm fixed lens; 10pcs IR LED night vision up to 8 meters distance;
- RF 915/868Mhz connection, connect & control max 30 wireless sensors;
- 24/7 Motion Detection Cloud Storage (not free);
- Reliable 2.4G WIFI connection and RJ45 interface;
- Power DC 12V 1A



## X601

### 720P WiFi PTZ Alarm Camera


- 720P HD IP Camera, H.264 Compression; NVR ONVIF Compatible
- F:3.6mm fixed lens; Pan:360° , Tilt:90° ;
- Clear two-way audio and 10pcs IR LED night vision up to 8 Meters distance;
- RF 915/868Mhz connection, connect & control max 30 wireless sensors;
- Reliable 2.4G WIFI connection and RJ45 interface;
- Support SD card slot, max 128GB storage (not included);
- Power DC 5V 1A , MiniUSB Port, 1.5 meter power cord
- Mounting kit for HD indoor camera



## DP10

### GPRS and WiFi Alarm Panel

- GSM and GPRS of world wide mobile operators with sim CARD SLOT
- Reliable -2.4G WiFi connection auto-switch to GPRS when WiFi offline
- RF 915/868Mhz connection, connect & control max 30 wireless sensors;
- Support 2 input and 1 output wired detector or siren
- Alarm pushing notification for IOS and Android APP and linkage with IP camera.
- Call 3 phone numbers one by one, 3 round until answered; Send SMS to 3 phone number max
- Built-in 80dB siren; 1600mAh rechargeable lithium battery
- Power DC 5V 2A



## HB10

### Smart Home Alarm Gateway

- GSM and GPRS of world wide mobile operators with sim CARD SLOT (4G LTE customized);
- Reliable -2.4G WiFi connection auto-switch to GPRS when WiFi offline
- RF 915/868/433Mhz connection, connect & control max 30 wireless sensors; (Zigbee or Z-wave customized);
- Support 2 input and 1 output wired detector or siren
- Alarm pushing notification for iOS and Android APP and linkage with IP camera.
- Call 3 phone numbers one by one, 3 round until answered; Send SMS to 3 phone number max
- Two-way voice phone call
- 800mAh rechargeable lithium battery
- Power DC 5V 1A, MiniUSB Port



## R0712

### WiFi Video Intercom Alarm System


- Colour TFT LCD screen; touch button with LED backlight;
- Display high resolution image, return back real scene;
- Video Call, intercom and inner talking between outdoor station and mobile phone;
- Remotely monitor and unlock the door from APP;
- Support max. 2 outdoor station and 4 indoor monitor; 4 wires connection;
- RF 915/868Mhz connection, connect & control max 30 wireless sensors
- Reliable 2.4G WiFi connection and RJ45 interface
- Power DC 14.3V 1A



## R30

### Wireless Indoor Siren Radio

- Frequency: 868Mhz Frequency, effective range 30 meters;
- Support code learning;
- Support configurable interactive with each sensor
- Support alter delay
- Support remote activate
- Support battery (1.5Vx3pcs battery D type)
- Alarm volume: 110db at 1 meter



## WD10

### Wireless Water Detector

- Cr2450 button battery, 2 year life
- Low battery notification and anti-tamper function
- Radio Frequency: 868Mhz frequency, effective range 30 meters
- low battery autoreminder
- Transmission distance: 100M in open area
- Support code learning, alert delay; alarm plan
- Standard probe cable length is 1M.



## SD50

### Wireless Smoke Detector

- DCV/9V Battery
- Low battery notification and anti tamper function
- Radio Frequency: 868Mhz frequency, effective range 30 meters
- Support code learning
- Monitoring range: 20 square meters;
- Alarm scope:>80db (3m straight ahead)
- Testing button



## GD50

### Wireless Ceiling Mounted Gas Detector


- DC 12V/24V, anti tamper function
- Radio Frequency: 868Mhz frequency, effective range 30 meter
- Gas species: Nature Gas
- Sensor: Semiconductor
- Monitoring range: 20 square meters
- Alarm scope: 6%LEL
- Alarm Sound: >75dB
- Testing button



## GD10

### Wireless Wall Mounted Gas Detector

- DC 12V/24V, anti tamper function
- Radio Frequency: 868Mhz frequency, effective range 30 meter
- Gas species: Nature Gas
- Sensor: Semiconductor
- Monitoring range: 20 square meters
- Alarm scope: 6%LEL
- Alarm Sound: >70dB
- Testing button



## ST31

### Wireless Smart Power Socket

- Radio Frequency: 868Mhz frequency, effective range 20 meters
- Turn on/off button
- Support code learning
- Support turn on/off linkage control with sensors
- Support turn on/off from APP remotely



## AC132

### PoE Outdoor Alarm Dome Camera

- 2MP FULL 1080P HD IP Camera, H.264 compression; NVR ONVIF Compatible;
- F:2.8-12mm CS Glass Lens; 22pcs IR LED night vision up to 15 meters distance;
- RF 915/868Mhz connection, connect & control max 30 wireless sensors;
- Support PoE Rj45 interface and Power DC 12V 1A
- Waterproof IP66



## AC187

### PoE Outdoor Alarm Bullet Camera

- 2MP FULL 1080P HD IP Camera, H.264 compression; NVR ONVIF Compatible;
- F:3.6/6/8/12mm fixed lens; 4pcs array infrared LEDs 50m Night Vision ;
- RF 915/868Mhz connection, connect & control max 30 wireless sensors;
- Support PoE Rj45 interface and Power DC 12V 1A
- Waterproof IP66



## AC196

### Dual-light WiFi Outdoor Alarm Bullet Camera

- 2MP FULL 1080P HD IP Camera, H.264 compression; NVR ONVIF Compatible;
- F:3.6mm fixed lens; 2pcs array infrared LEDs 20m Night Vision ;
- RF 915/868Mhz connection, connect & control max 30 wireless sensors;
- 2 Floodlight turn on automatically when alarm goes on or controlled from APP remotely at night
- Reliable 2.4G WiFi connection and RJ45 interface
- Power dc 12V 1A
- Waterproof IP66



## AC9006

### Dual-light WiFi Outdoor Alarm Camera with PIR

- 2MP FULL 1080 HD IP Camera, H.264 Compression; NVR ONVIF Compatible;
- F:3.6mm fixed lens; 2pcs array infrared LEDs, 15m Night Vision;
- 2 Floodlight turn on automatically when alarm goes on or controlled from APP remotely at night
- Clear two-way audio and 10pcs IR LED night vision up to 8 meters distance
- RF 915/868Mhz connection, connect & control max 30 wireless sensors
- PIR and video motion detection
- Built-in 80dB siren; 1600mAh rechargeable
- 8GB SD card storage inside
- Power DC 12V 2A ; Water Proof IP66



## ABE-150M

### Outdoor Wired Beams Detector

- Precision optical focusing lens technology and bus control technology
- Suitable for outdoor installations
- Special filter lens and circuit, anti-strong light jamming
- High-power infrared receiver on the tube, low-power digital frequency processing technology
- Outdoor double beam gain self-regulation, adaptable to terrible weather such as rain fog and snow weather



## ST93

### Solar Outdoor Siren

- Waterproof case
- Build-in lithium battery 3.7V 4400mAh
- Solar charger, charging current 330mA
- 2-Way RF control and read status
- Tamper alarm
- 105dB siren alarm
- 16mA standby power consumption
- Dimensions: 105x65x35mm able to terrible weather such as rain fog and snow weather



## MS10

### Wireless Door Sensor

- Static current  $\leq 5\mu\text{A}$
- Alarm current  $\leq 30\text{mA}$
- Radio frequency: 868MHz, effective range 20 meters;
- Work Temperature:  $-10^{\circ}\text{C}\sim 55^{\circ}\text{C}$
- Max permitted degree of humidity: 95%RH
- Battery : Rechargeable lithium 120mAh



## PD20

### Wireless Motion Detector (PIR)

- Detecting Range: 12m/110 degrees
- Battery: Rechargeable lithium 900mAh
- Radio Frequency: 868MHz, effective range 30 meters;
- Anti-Pet  $\leq 25\text{kg}$
- Anti-White Light  $> 6500\text{Lux}$
- Low power consumption
- Low voltage alarm
- Automatic temperature compensation



## RC10

### Wireless Remote Control


- Radio Frequency: 868MHz frequency effective range 20 meters;
- Support code learning;
- Support one-key arm/disarm, SOS button, remote alarm shutdown;
- Duilt-in battery cell



## KB20

### Wireless Keypad

- Radio Frequency: 868Mhz
- Frequency, effective range 20 meters;
- Support code learning;
- Support arm/disarm with password
- Built-in battery cell



## PD50

### Wireless Motion Detector (Ceiling PIR)

- Working voltage: DC3.0V
- Consumption current  $\leq 20\text{mA}$
- Detecting Range: 6M/360 degrees
- Radio Frequency : 868Mhz
- Install method: ceiling mounted
- Install height: 2.5-3.6m
- Supporting two ways digital temperature compensation



## EB30

### SOS Button

- Wristwatch or necklace Style Panic Button for emergency help, suitable for elder, patients; waterproof;
- Working voltage:3.0V
- Battery: CR2032
- Radio frequency: 868Mhz
- Transmitting current:  $\leq 20\text{mA}$
- Static current:  $\leq 1\mu\text{A}$
- Transmitting power:  $\leq 13\text{dBm}$




## 1 Registration



## 2 Login



## 3 Add Camera



## 4 Code Sensors



## 6 Video surveillance and push notification



## 6 Cloud Storage





# 3 STEPS TO START LOCAL SECURITY SERVICE OPERATION

## Get a Sales Kit

Take a sales kit briefcase with the whole smart home and business security system and the price list.

*Rs.100/month*

Cost-effective video alarm system and security service.

## Authorized

Order 500pcs basic packages and setup local cloud servers for FREE


FREE customized APP and authorized by European brand AlarmSecur.com

## Register a Cloud Account of LAC

Register a cloud account of LAC for FREE, and start local home security service immediately

30% service monthly fee share

# SOLUTION



# SERVICES



## Immediate Push Alarm

sends 13 seconds video + 2 seconds Before a sensor was triggered to :

- mobile phone
- friends
- cloud storage
- Live alarm center



## 24/7 LIVE Alarm Center

receives notification and immediate action is taken:

- direct view of actual situation
- talk and listen
- replay send video
- call you and yours contacts



## Follow Up!

in case of emergency we coordinate:

- police
- fire department
- ambulance
- private security guard

## Free Services



24/7 directview, speak and listen

Yes

Yes

Autofocus camera towards sensor when alarm

Yes

-

Immediate push notification when alarm

Yes

Yes

Including video (2 seconds recording before)  
+ photo

Yes

Yes

Micro SD card + Cloud storage of notifications

Yes

Yes

Direct social media sharing

Yes

Yes

Scan QR code to connect to system immediately

-

Yes

## Paid Services



Live Alarm Center with directview and replay  
video, speak and listen

Yes

Yes

Track and trace

-

Yes

Call you and your contacts

Yes

Yes

Follow Up! With private security guard\*

Yes

Yes

Follow Up! With emergency service\*

Yes

Yes

\*Subject to local availability